T	OFECUIVE DATE
	9/23/96
T	LASSIFICATION # 2270
	DISTRIBUTION
1	A&E

UNIFORM AND EQUIPMENT SPECIFICATIONS AND REGULATIONS

FAGE 31 OF

67 PAGES



IX. UNIFORM AND EQUIPMENT SPECIFICATIONS SUPERVISORY OFFICERS - REGULATION UNIFORMS (Continued)

SHEET

CLASS "A"
REGULATION
UNIFORM
DRESS
CAPTAIN

The class "A" regulation uniform is designated for wear the same as required for Correction Officer.

A. UNIFORM CAP - Standard

Same as for regulation duty uniform cap - standard.

B. SUMMER BLOUSE

Shall be the same as required for Correction Officer with the following modifications:

- 1. Addition of 1 gold button on each sleeve,
- Addition of a 1 ¹/₄" black NY twist stripe (braid) on each sleeve just above the top-most gold button (as specified in Section XII).
- 3. No eyelet holes for command insignias on collar.
- 4. Metal rank insignias placed on epaulets (as specified in Section XII).

C. WINTER REEFER COAT

Shall be the same as required for Correction Officer with the following modifications:

- 1. One additional gold button on cuffs.
- 2. One and one-quarter inch black NY twist stripe (braid) on sleeves above the top-most gold button (as specified in Section XII).
- Coat when worn shall be buttoned and enclosed to the collar.
- 4. The authorized supervisory winter reefer coat is available in 2 options;
 - a. Standard Correction Officer style worn as previously specified; or



Pegulation Class "A" Dross Uniform Captain Winter Beeter Coat N7PO Version

9/ 2 -TASSI	9/23/96 -LASSIFICATION # 2270	UNIFORM AND EQUIPMENT SPECIFICATIONS AND REGULATIONS
	DISTRIBUTION A&E	PAGE 32 OF 67 PAGES



IX. UNIFORM AND EQUIPMENT SPECIFICATIONS SUPERVISORY OFFICERS - REGULATION UNIFORMS (Continued)

CLASS "A"
REGULATION
UNIFORM
DRESS
CAPTAIN
(Continued)

b. NYPD supervisory officer regulation winter coat, double breasted with flared buttons, (large buttons in 2 rows of 5 flared from a position parallel to the jacket pockets in an upward direction), closed collar version (see illustration on page 31).

Note: Service stripes are not authorized for supervisory class "A" regulation winter reefer coat.

D. UNIFORM TROUSERS

Shall be the same as required for Correction Officer with the following modification:

The outer seam shall have sewn a 1 1/4" black NY twist stripe (braid).

E. UNIFORM SHIRT

Same as for regulation duty uniform shirt.

F. SOCKS

Same as for regulation duty uniform socks.

G. TIE

Same as for regulation duty uniform tie

H. TIE CLASP

Same as for regulation duty uniform tie clasp.

I. SHOES

Same as for regulation duty shoes.

J. CEREMONIAL GLOVES

Lightweight white cotton or polyester rayon type.

SUBJECT

UNIFORM AND EQUIPMENT SPECIFICATIONS AND REGULATIONS

PAGE 33 OF

67 PAGES



IX. UNIFORM AND EQUIPMENT SPECIFICATIONS SUPERVISORY OFFICERS - REGULATION UNIFORMS (Continued)

CLASS "B"
REGULATION
UNIFORM
UTILITY
CAPTAIN

The class "B" regulation uniform is mandatory for Captains assigned to details and special support units whose duties require this type of work uniform, such as:

- 1. Support Services Division;
- 2. Correction Industries Division;
- Transportation Division Garage detail;
- 4. Construction Management Unit;
- 5. Divisional storehouse detail; and
- 6. Facility maintenance detail.

Note: The class "B" uniform is optional for Captains assigned to:

- a) Facility kitchen details;
- b) Facility intake details; or
- c) Facility environmental/sanitation details.

A. UNIFORM CLASS "B" SHIRT

Shall be the same as required for Correction Officer with the following modification:

The rank insignia shall replace the command insignia.

B. UNIFORM CLASS "B" UTILITY TROUSERS

Shall be the same as required for Correction Officer.

C. WORK CAP (Baseball Type)

Shall be the same as required for Correction Officer with the following modification:

A small rank insignia shall be affixed to the center of the patch.

9/23/96
CLASSIFICATION
2270
DISTRIBUTION
A & E

UNIFORM AND EQUIPMENT SPECIFICATIONS AND REGULATIONS

PAGE 34 OF 67 PAGES



IX. UNIFORM AND EQUIPMENT SPECIFICATIONS SUPERVISORY OFFICERS - REGULATION UNIFORMS (Continued)

SHEET

CLASS "8"
REGULATION
UNIFORM
UTILITY
CAPTAIN
(Continued)

D. UNIFORM CLASS "B" UTILITY JACKET

Shall be the same as required for Correction Officer with the following modification:

The rank insignia shall replace the DC insignia on the collar.

E. SOCKS

Shall be the same as required for Correction Officer.

F. SHOES

Shall be the same as required for Correction Officer.

REGULATION
UNIFORM
OPTIONAL
UNIFORM ITEMS
CAPTAIN

The following have been authorized as regulation uniform items but are not listed as mandatory (optional).

A. COMMANDO V-NECK SWEATER

Shall be the same as for Correction Officer with the following modifications:

- The epaulets shall be stitched at the shoulder seam to accept rank insignia cloth shoulder boards.
- The rank insignia shall be military gold colored rank designation imprinted on black cloth shoulder boards trimmed at both ends with thin gold stripes, to be slipped through the sweater epaulets.

B. TURTLENECK STYLE SWEATER

Shall be the same as described for Correction Officer.

C. DUTY UNIFORM SKIRT (Female)

Shall be the same as described for Correction Officer.

D. LEATHER GLOVES

Shall be the same as described for Correction Officer.

-1 " 15

9/23/96
CLASSIFICATION
2270
DISTRIBUTION

A&E

UNIFORM AND EQUIPMENT SPECIFICATIONS AND REGULATIONS

PAGE 35 OF

67 PAGES



IX. UNIFORM AND EQUIPMENT SPECIFICATIONS SUPERVISORY OFFICERS - REGULATION UNIFORMS (Continued)

S. B. ECT

REGULATION
UNIFORM
OPTIONAL
UNIFORM ITEMS
CAPTAIN
(Continued)

E. WINTER GLOVES

Shall be the same as described for Correction Officer.

F. WINDSTOPPER TROUSER LINER

Shall be the same as described for Correction Officer.

G. RAIN CHAPS

Shall be the same as described for Correction Officer.

H. DETACHABLE HOOD

Shall be the same as described for Correction Officer.

I. OVERSOCKS

Shall be the same as described for Correction Officer.

REGULATION UNIFORM EQUIPMENT CAPTAIN

The following equipment is authorized and shall be worn with all classes of uniforms where required:

A. TROUSER BELT

Shall be the same as required for Correction Officer.

8. EQUIPMENT/GUNBELT

Shall be the same as for Correction Officer.

C. BELT KEEPERS (for Equipment/Gunbelt)

Shall be the same as described for Correction Officer.

D. DUTY HOLSTER (.38 cal, S & W, Model 10)

Shall be the same as described for Correction Officer.

9/23/96
CLASSIFICATION
2270
C STRIBUTION
A & E

SUBJECT

UNIFORM AND EQUIPMENT SPECIFICATIONS AND REGULATIONS

PAGE 36 OF

67 PAGES



IX. UNIFORM AND EQUIPMENT SPECIFICATIONS SUPERVISORY OFFICERS - REGULATION UNIFORMS (Continued)

REGULATION UNIFORM EQUIPMENT CAPTAIN (Continued)

E. DUTY HOLSTER (9mm, S&W, Models 5946, 6946 and 3953)

Shall be the same as described for Correction Officer.

F. DUTY HOLSTER (9mm, Sig Sauer, Models P226, P228 and P225)

Shall be the same as described for Correction Officer.

G. DOUBLE SPEEDLOADER POUCH

Shall be the same as described for Correction Officer.

H. SPEEDLOADERS

Shall be the same as described for Correction Officer.

1. DUAL 9mm MAGAZINE HOLDER

Shall be the same as described for Correction Officer.

J. KEY RING HOLDER

Shall be the same as required for Correction Officer.

K. HANDCUFFS

Shall be the same as for Correction Officer.

L. HANDCUFF CASE

Shall be the same as for Correction Officer.

M. DUTY KNIFE Rescue Tool

Omitted for this rank.

N. DUTY KNIFE CASE

Omitted for this rank.

9/23/96 CLASSERATION # 2270

DISTRIBUTION

A&E

UNIFORM AND EQUIPMENT SPECIFICATIONS AND REGULATIONS

PAGE 37 OF

67 PAGES



IX. UNIFORM AND EQUIPMENT SPECIFICATIONS SUPERVISORY OFFICERS - REGULATION UNIFORMS (Continued)

SUBJECT

REGULATION UNIFORM EQUIPMENT CAPTAIN (Continued)

O. FLASHLIGHT

Shall be the same as required for Correction Officer.

P. FLASHLIGHT HOLDER

Shall be the same as required for Correction Officer.

Q. WHISTLE

Omitted for this rank.

R. MEMO BOOK

Shall be the same as required for Correction Officer.

S. MEMO BOOK PAD

Shall be the same as required for Correction Officer.

T. PEN & PENCIL HOLDER

Shall be the same as required for Correction Officer.

U. GLOVE POUCH

Shall be the same as described for Correction Officer.

V. BULLET RESISTANT VEST

Shall be the same as required for Correction Officer.

W. DEFENSE SPRAY

Mace defense spray, manufactured by MSI Model MK-VI, # MDL 6020(CS), .84 ounce, spring loaded flip top safety cap, belt/pocket clip, pistol grip dispenser.

X. DEFENSE SPRAY HOLSTER

Uniform approved synthetic black leather or equivalent with black or silver snaps, as noted below:

Manufacturer *	Model #*	
MSI (Right-Handed)	6981R	
MSI (Left Handed)	69 8 1L	



Regulation Defense Spray with Holster

9/23/96
CLASSIFICATION
2270
DISTRIBUTION
A & E

UNIFORM AND EQUIPMENT SPECIFICATIONS AND REGULATIONS



FAGE 38 OF

67 PAGES

IX. UNIFORM AND EQUIPMENT SPECIFICATIONS SUPERVISORY OFFICERS - REGULATION UNIFORMS (Continued)

SEBJECT

ASSISTANT DEPUTY WARDEN

A. RANK INSIGNIA

The rank insignia, a gold gilt oak leaf (large and small size), shall be worn as described for Captain.

REGULATION DUTY UNIFORM

B. The regulation duty uniform shall be the same as required for Captain.

REGULATION CLASS "A" UNIFORM

C. The class "A" regulation dress uniform shall be the same as required for Captain.

REGULATION CLASS "B" UNIFORM UTILITY

D. The class "B" regulation utility uniform shall be the same as required for Captain.

REGULATION UNIFORM OPTIONAL UNIFORM ITEMS

E. The optional uniform items shall be the same as for Captain.

REGULATION UNIFORM EQUIPMENT

F. The equipment shall be the same as for Captain with the following exceptions:

1. MEMO BOOK/PADS

Omitted for this rank.

2. DEFENSE SPRAY & HOLSTER

Omitted for this rank.

3. GLOVE POUCH

Omitted for this rank.

9/23/96 CLASSIFICATION # 2270	UNIFORM AND EQUIPMENT SPECIFICATIONS AND REGULATIONS	
OISTRIBUTION A&E	PAGE 39 OF - 67 PAGES	

IX. UNIFORM AND EQUIPMENT SPECIFICATIONS SUPERVISORY OFFICERS - REGULATION UNIFORMS (Continued)

DEPUTY WARDEN DEPUTY WARDEN IN COMMAND AND CHAPLAIN

A. RANK INSIGNIA

The rank insignia, a gold gilt spread eagle (large and small size), shall be worn as described for Assistant Deputy Warden except:

Deputy Wardens-In-Command shall wear a 1/2" black NY twist stripe (braid), consistent with the Warden standards for the summer blouse, (see illustration, Section XII, for specifics)

REGULATION DUTY UNIFORM

· _ n. 给·

B. The regulation duty uniform shall be the same as required for Assistant Deputy Warden.

REGULATION CLASS "A" UNIFORM C. The class "A" regulation dress uniform shall be the same as required for Assistant Deputy Warden with the following variance:

ALL WEATHER TRENCH COAT

- 1. NYPD/NYCDOC regulation navy-blue all weather double-breasted trench coat.
 - a. Males:

London Fog Davis style (or equal).

b. Females:

London Fog Lissette style (or equal)

- 2. Garment must be converted for uniform use by Deputy Wardens and above by adding large metal insignia onto shoulder straps, Departmental patch on both sleeves (3/4" from shoulder seam) and replace the existing 10 buttons with 10 large gold colored buttons containing the seal of the City of New York and 2 small buttons to be added to the shoulder straps near the collar line.
- The length of the garment shall be consistent with military regulations. The bottom of which shall be hemmed and not to extend beyond 4" below the member's knee.

Note: This garment replaces the winter reefer coat as the mandatory class "A" dress uniform outerwear.

9/23/96
CLASSIFICATION
2270
DISTRIBUTION
A & E

UNIFORM AND EQUIPMENT SPECIFICATIONS AND REGULATIONS

PAGE 40 OF

67 PAGES



IX. UNIFORM AND EQUIPMENT SPECIFICATIONS SUPERVISORY OFFICERS - REGULATION UNIFORMS (Continued)

RIBJECT

DEPUTY WARDEN
DEPUTY WARDEN
IN COMMAND
AND
CHAPLAIN
(Continued)

REGULATION CLASS "B" UNIFORM D. The class "B" regulation utility uniform shall be omitted for this rank.

REGULATION UNIFORM OPTIONAL UNIFORM ITEMS

E. WINTER REEFER COAT

Shall be the same as required for Assistant Deputy Warden with the exception that the item is an option when the class "A" uniform is not required.

REGULATION UNIFORM EQUIPMENT

F. The Equipment shall be the same as for Assistant Deputy Warden with the following exception:

FLASHLIGHT/HOLDER

Omitted for this rank.

WARDEN

A. RANK INSIGNIA

The rank insignia, 1 gold gilt star (large and small size), shall be worn as described for Deputy Warden in Command.

REGULATION DUTY UNIFORM B. The regulation duty uniform shall be the same as required for Deputy Warden with the following modifications:

UNIFORM CAP - Standard

- 1. Gold gilt spray design shall be added to the visor.
- 2. The band encircling the hat shall be made of black mohair

31.

9/23/96
ASSECATION
2270
DISTRIBUTION

A&E

HHECT

UNIFORM AND EQUIPMENT SPECIFICATIONS AND REGULATIONS

PAGE 41 OF

6.7 PAGES



IX. UNIFORM AND EQUIPMENT SPECIFICATIONS SUPERVISORY OFFICERS - REGULATION UNIFORMS (Continued)

WARDEN (Continued)

CLASS "A" REGULATION UNIFORM

C. The class "A" regulation dress uniform shall be the same as required for Deputy Warden with the following modifications:

SUMMER BLOUSE

A $\frac{1}{2}$ " black NY twist stripe (braid) on each sleeve, 1 $\frac{1}{2}$ " above the existing stripe shall be added (see illustration, Section XII for specifics).

REGULATION UNIFORM OPTIONAL UNIFORM ITEMS

D. The optional uniform items shall be the same as for Deputy Warden except:

WINTER REEFER COAT

Add a $\frac{1}{2}$ " black NY twist stripe (braid) on each sleeve, 1 $\frac{1}{2}$ " above the existing stripe. (see illustration, Section XII for specifics).

REGULATION UNIFORM EQUIPMENT

E. The equipment shall be the same as for Deputy Warden.

ASSISTANT CHIEF

A. RANK INSIGNIA

The rank insignia, 2 gold gilt stars (large and small size), shall be worn as described for Warden.

- REGULATION DUTY UNIFORM
- B. The regulation duty uniform shall be the same as required for Warden.
- REGULATION C. The class "A" regulation dress uniform shall be the same as required for Warden.

 UNIFORM

116	
	HEECTIVE DATE
	9/23/96
	CLASSIFICATION
1	# 2270
	CISTRIBUTION
	A&E

UNIFORM AND EQUIPMENT SPECIFICATIONS AND REGULATIONS

PAGE 42 OF



67 PAGES UNIFORM AND EQUIPMENT SPECIFICATIONS IX. SUPERVISORY OFFICERS - REGULATION UNIFORMS (Continued)

SLB JECT

ASSISTANT CHIEF

The Committee of the Co

(Continued)

REGULATION UNIFORM OPTIONAL **UNIFORM ITEMS**

D. The optional uniform items shall be the same as for Warden.

REGULATION UNIFORM **EQUIPMENT**

E. The equipment shall be the same as for Warden.

BUREAU CHIEF A. RANK INSIGNIA

The rank insignia, 3 gold gilt star (large and small size), shall be worn as described for Assistant Chief.

REGULATION DUTY **UNIFORM**

B. The regulation duty uniform shall be the same as required for Assistant Chief.

REGULATION CLASS "A" UNIFORM

C The class "A" regulation dress uniform shall be the same as required for Assistant

REGULATION UNIFORM OPTIONAL **UNIFORM ITEMS**

D. The optional uniform items shall be the same as for Assistant Chief.

REGULATION UNIFORM **EQUIPMENT**

E The equipment shall be the same as for Assistant Chief.

9/23/96 CLASSIDICATION	UNIFORM AND EQUIPMENT SPECIFICATIONS AND REGULATIONS	
# 2270		
DISTRIBUTION A & E	PAGE 43 OF 67 PAGES	*

X. UNIFORM AND EQUIPMENT SPECIFICATIONS SUPERVISORY OFFICERS - REGULATION UNIFORMS (Continued)

CHIEF OF DEPARTMENT

A. RANK INSIGNIA

The rank insignia, 4 gold gilt stars (large and small size), shall be worn as described for Bureau Chief.

REGULATION DUTY UNIFORM

- B. The regulation duty uniform shall be the same as required for Bureau Chief.
- REGULATION CLASS 'A' UNIFORM
- C. The class "A" regulation dress uniform shall be the same as required for Bureau Chief.

REGULATION UNIFORM OPTIONAL UNIFORM ITEMS

- D. The optional uniform items shall be the same as for Bureau Chief.
- REGULATION UNIFORM EQUIPMENT
- E. The equipment shall be the same as for Bureau Chief.

9/23/96
CLASSIFICATION
2270
DISTRIBUTION

A&E

UNIFORM AND EQUIPMENT SPECIFICATIONS AND REGULATIONS

PAGE 44 OF

67 PAGES



X. UNIFORM AND EQUIPMENT SPECIFICATIONS SPECIALIZED COMMAND UNIFORMS

SUBJECT

The following uniforms are specifically designed for the commands listed below. They shall not be used in combination with the regulation duty, class "A" or class "B" uniforms.

REGULATION DUTY UNIFORM EMERGENCY SERVICE UNITS The following commands are authorized to wear the prescribed emergency service type uniform when performing the functions specifically for their unit and shall not deviate, modify or interchange in any manner, the prescribed uniform set forth herein. They shall not wear the uniform when working a facility, post or assignment designated for a regulation duty, regulation class "A" dress or regulation class "B" utility uniform.

- 1. Emergency Response Unit;
- 2. Harbor Unit:
- K-9 Unit;
- 4. Communications/Radio Repair Unit; and
- 5. Fire and Safety Unit.

A. EMERGENCY SERVICE DUTY CAP

NYCDOC regulation dark navy blue baseball style cap with a η_4 scale command patch affixed to the front center.

Note:

Supervisory Officers shall affix a metallic rank insignia to the center of the command patch.

B. EMERGENCY SERVICE DUTY SHIRT

1. NYCDOC regulation dark navy-blue colored poplin 65% polyester/35% combed cotton by approved manufacturer, permanent press treated with scotchguard soil release finish emergency service utility shirt. The front shall have a 3" turnback extending from neckline to bottom of shirt. Two pointed breast pockets, left pocket to have a hidden pencil pocket made of a separate fabric, inserted into the pocket edge and topstitched to have an opening of 13/3". Pockets to close with 1 button and buttonhole. Epaulets to be sewn 11/3" tapering down to 11/2" cross stitched at the shoulder seams.

FFECTIVE DATE
9/23/96
CLASSIFICATION # 2270
DISTRIBUTION
A&E

UNIFORM AND EQUIPMENT SPECIFICATIONS AND REGULATIONS

PAGE 45 OF

67 PAGES



UNIFORM AND EQUIPMENT SPECIFICATIONS X. SPECIALIZED COMMAND UNIFORMS (Continued)

SI BUEL I

REGULATION **DUTY UNIFORM EMERGENCY SERVICE UNITS** (Continued)

- 2. The emergency service duty shirt shall be sold pre-patched with the Departmental patch on the left sleeve 1/2" from the shoulder seam and the command patch affixed to the right sleeve 1/2" from the shoulder seam (3 1/2" for Communications/Radio Repair Unit). In addition, 5 other patches shall be affixed as follows:
 - a. Unit Identification Patch (Shirt Back)

Six inch by nine and seven-eighths inch embroidered patch sewn centered and level to the rear of the shirt at the shoulder-line. The COMMAND NAME centered on the patch, embroidered in 1 1/2" letters with the words NYC, CORRECTION on the following 2 lines in 3/4" letters. The embroidery shall be sewn onto a background of midnight navy-blue twill 65% polyester/ 35% cotton in block lettering with snow white colored thread.



Two and one-half inch by four inch duplicate of Unit Identification Patch (shirt back) with the COMMAND NAME, embroidered onto a background of midnight navy-blue twill 65% polyester/35% cotton in 5/4" letters and the words NYC, CORRECTION on the following 2 lines in 1/2" letters. The patch shall be sewn to right breast of shirt above pocket.

c. Member Identification Patch (Left Breast)

Three and three-eighths inch by two and one-half inch embroidered name and patch, sewn over left breast pocket. The member's name, centered on the patch, embroidered in $V_{ extstyle extstyle extstyle }$ letters and member's shield number on the subsequent line in $\frac{3}{8}$ " letters. The embroidery shall be block lettering sewn onto a background of midnight navy-blue twill 65% polyester/35% cotton with the following colored thread; for this patch only:

- Correction Officer:
 - Snow White
- # Supervisory Officer:

Yellow-Orange

EMERGENCY ESPONSE UNIT





Note:

9/23/96

CLASSIFICATION
2270

DISTRIBUTION
A & E

UNIFORM AND EQUIPMENT SPECIFICATIONS AND REGULATIONS

PAGE 46 OF

67 PAGES



X. UNIFORM AND EQUIPMENT SPECIFICATIONS SPECIALIZED COMMAND UNIFORMS (Continued)

SHECT

REGULATION DUTY UNIFORM EMERGENCY SERVICE UNITS (Continued)

d. Collar insignias

Two, 1 ½" x 1" collar insignlas sewn to each point of shirt collars. The embroidery shall be block lettering (except emblem for Harbor and Communications/Radio Repair Unit) sewn onto a background of midnight navyblue twill 65% polyester/35% cotton and read the following:

i. Correction Officer:

ERU, K-9 & FSU

(Snow-White colored thread)

ii. Correction Officer:

Harbor Unit

(Anchor Emblem)

iii. Correction Officer:

Communications/Radio Repair Unit

(Signal Flags Emblem)

iv. Supervisory Officer:

Rank Insignia

(Yellow-Orange colored thread)

- 3. Long sleeve and short sleeve uniform shirt specifications are identical with the exception of the length of the sleeve.
- Left sleeve of long sleeve shirt accepts service stripes for Correction Officers (see Section XII for placement).







FFECTIVE DATE
9/23/96
UNIFORM AND EQUIPMENT
SPECIFICATIONS AND REGULATIONS
2270
UISTRIBUTION
A&E
67 PAGES

X. UNIFORM AND EQUIPMENT SPECIFICATIONS SPECIALIZED COMMAND UNIFORMS (Continued)

REGULATION DUTY UNIFORM EMERGENCY SERVICE UNITS (Continued)

C. EMERGENCY SERVICE UTILITY TROUSERS

NYCDOC regulation dark navy-blue colored 65% dacron polyester/35% combed cotton 2x1 Fineline Twill 7 1/4 - 7 1/2 oz. per square yard cargo/utility style trousers. Shall be made to a full cut uniform pattern tapering from the knee to bottom and featuring 2 quarter top pockets, 6 utility pockets with flaps and Inside reinforcing knee pockets, designed to use removable padding. The front pockets shall have a minimum opening of 6 1/2" and be 6" deep from the bottom of the opening. They will be stitched, turned and restitched. The inside front pocket facing shall be a separate piece of self material finishing no less than 1 1/4" wide. The hip pockets shall be 6 1/2" x 6" mitered patch pockets with inverted pleats; 1/4" topstitching, bartacked upper corners and 2 1/2" x 6 5/8" flaps, bartacked at upper corners and secured to pockets with velcro closures. The cargo/glove pockets shall be 4" x 3 1/2" mitered with inverted pleats and 1 5/8" x 4 1/4" flaps with velcro closures. Side seam cargo pockets shall be 8" x 9" mitered pocket with inverted pleat, 2 1/2" x 8 1/4" with flap on left side and 8" x 9" mitered pocket with 2, inverted 21/2" x 8 1/4" flap with 5,1/4" x 5 1/4" utility pocket on outside with 2 snap tabs and 3 divisions. All pockets and flaps shall be topstitched 1/4" with straight tacks at upper corners of pockets and flaps. Loop velcro on pockets, hook velcro on flaps 3/4" x 1". The waistband shall be 2" wide and shall be closed with a crush-proof hook and eye, bartacked for stability. The waistband curtain, attached with a rocap machine, shall have Snugtex (or equal) and be made of black 75% polyester/25% cotton. No roll waistband stiffener, 1/4" in width, shall be sewn into waistband on the front of the trouser from side seam to side seam.

D. EMERGENCY SERVICE DUTY JACKET

- 1. NYCDOC regulation dark navy blue 65% dacron polyester/35% combed cotton, 2x1 Fineline Twill 7½ oz. per square yard treated with scotchguard soil release and wicking finish. The jacket shall be a windbreaker style uniform jacket with a bi-swing back, zippered side vents, partially shirred waistband, upper patch pockets with flaps, lower hand warming pockets and a zipper front closure to the neck with 2, 2 ½" wide epaulets on the shoulders. The steeves shall be plain, 1-piece jacket style with a 2" wide cuff and 2 buttons, 1 button hole for adjustable fit. The lining shall be black 100% Taffeta nylon with 150 gram quilted Thinsulate batting for insulation.
- 2. The jacket shall be sold pre-patched with the Departmental patch on the left sleeve ¾," from the shoulder seam and the command patch affixed to the right sleeve ¾," from the shoulder seam (¾½" for Communications/Radio Repair Unit). In addition, 5 other patches shall be affixed in the same manner as

9/ 23 /96 CLASSIFICATION # 2270	UNIFORM AND EQUIPMENT SPECIFICATIONS AND REGULATIONS	
A&E	PAGE 48 OF 67 PAGES	

X. UNIFORM AND EQUIPMENT SPECIFICATIONS SPECIALIZED COMMAND UNIFORMS (Continued)

REGULATION DUTY UNIFORM EMERGENCY SERVICE UNITS (Continued) Left sleeve of jacket accepts service stripe for Correction Officers (see Section XII for placement).

E. TURTLENECK STYLE SWEATER

- NYCDOC regulation navy blue, police style turtleneck sweater made of 100% cotton or cotton blend with DCNY block letters in white, emblazoned on the left side of the neck cowl.
- The turtleneck sweater may only be worn with the regulation Emergency Service jacket.

F SHOES

Black military style leather tactical boots.

G. SOCKS

Black cotton

REGULATION DUTY UNIFORM FIREARMS AND TACTICS UNIT Members, while on duty at the Firearms & Tactics Unit, shall wear the prescribed uniform as indicated below and not deviate, modify or interchange in any manner the prescribed uniform set forth herein.

A. REGULATION DUTY CAP (Baseball Type)

NYCDOC regulation red colored baseball type cap with NYDC in block letters over crossed pistols (both embroidered in gold), across the front.

Note: Supervisory Officers shall affix the rank insignia to the center of the front of the hat.

9/23/96
CLASSIFICATION
2270
DISTRIBUTION

A&E

UNIFORM AND EQUIPMENT SPECIFICATIONS AND REGULATIONS

> PAGE 49 CF 67 PAGES



X. UNIFORM AND EQUIPMENT SPECIFICATIONS SPECIALIZED COMMAND UNIFORMS (Continued)

SUBJECT

REGULATION DUTY UNIFORM FIREARMS AND TACTICS UNIT (Continued)

B. REGULATION DUTY SHIRT

- 1. NYCDOC regulation 3D stretch poplin shirt with micro comfort finish constructed of 4½ oz. sq. yd. 62% dacron polyester/38% combed cotton with 9-11% filling stretch in silver-tan. Shall have 2 military creases in front and 3 military creases in back with a permanent silicone crease. Two breast pockets finishing 5¾ wide and 5¾ long to have mitered corners. Both pockets shall have a 1½ box pleat stitched top and bottom. Left pocket to have a sewn through pencil opening 1¾ wide ¾ wide velcro strip, 1" long shall be placed on each pocket to accept a matching flap over them. Two eyelet holes sewn above left breast, 1¾ apart (with 1" inside reinforcement sling) to accept regulation shield. Collar eyelets ¼ stitched, and centered 1" from front edge and 1" from bottom edge to accept command insignia.
- Long sleeve and short sleeve uniform shirt specifications are identical with the exception of the length of the sleeve.
- Left sleeve of long sleeve shirt accepts gold with black border service stripes for Correction Officers only (see Section XII for placement).

C. REGULATION DUTY TROUSERS

NYCDOC regulation 100% Textured Dacron Polyester, 12 ½ - 13 oz. per yard, elastic weave trousers in silver-tan. Shall be made on a uniform pattern having a plain front with straight side pockets, a watch pocket and 2 back pockets. The side pockets shall have a minimum opening of 6½" and shall be approximately 5" from the bottom opening. They will be stitched, turned and restitched. The inside front pocket facing shall be a separate piece of self material finishing no less than 1¼" wide. The back pockets shall have a minimum opening of 5½" wide and 6" deep. Each back pocket shall have a button through pocket flap to close. The watch pocket, located approximately 1½" to the front of the right seam at the waistband, shall have an approximate opening of 2¾" and will be 3" deep. The side and watch pockets shall have straight bartacks and the back pockets are to be bartacked. The waistband shall be 2" wide and shall be closed with a crush-proof hook & eye, the eye being bartacked. The waistband curtain, will be made of 75% polyester/25% cotton. No roll waistband stiffener ¾," in width, shall be sewn into the waistband from side searn to side searn.

9/23/96

CLASSIFICATION
2270

DISTRIBUTION
A & E

CONTROL SORRECT

UNIFORM AND EQUIPMENT
SPECIFICATIONS AND REGULATIONS
PAGE 50 OF
67 PAGES

X. UNIFORM AND EQUIPMENT SPECIFICATIONS SPECIALIZED COMMAND UNIFORMS (Continued)

REGULATION DUTY UNIFORM FIREARMS AND TACTICS UNIT (Continued)

D. UNIFORM CLASS "B" UTILITY JACKET

Shall be the same as for Correction Officer.

E COMMANDO V-NECK SWEATER

Shall be the same as for Correction Officer.

F. TURTLENECK STYLE SWEATER

Shall be the same as for Correction Officer.

G. SHOES

Black oxford or military style leather tactical boots (shined).

H. SOCKS

Black cotton.

I. TIE

Shall be the same as for Correction Officer.

REGULATION DUTY UNIFORM H.I.I.P. S.T.E.P. Members, while on duty for that specific purpose, shall wear the prescribed uniform as indicated below and not deviate, modify or interchange in any manner the prescribed uniform set forth herein.

A. REGULATION HAT (Standard)

NYCDOC approved, State Trooper Style (California DOC regulations) 100% Fur Felt, 5x quality, willow green hat with; 3" brim, slight rolled flange, black leather hat strap and band, single black metal eyelet to accommodate cap device.

Note: There will be no alteration of the hat including the rolling of the brim or folding of the hat to change its appearance.

Correction Officers

The silver metal cap device bearing the City seal and member's shield number, shall be affixed to the center of the cap.

9/23/96
LEASSIFICATION
2270

DISTRIBUTION

A&E

SUBJECT

UNIFORM AND EQUIPMENT SPECIFICATIONS AND REGULATIONS

PAGE 51 OF

67 PAGES



X. UNIFORM AND EQUIPMENT SPECIFICATIONS SPECIALIZED COMMAND UNIFORMS (Continued)

REGULATION DUTY UNIFORM H.I.I.P. S.T.E.P. (Continued)

Supervisory Officers

The gold metal cap device bearing the City seal, shall be affixed to the center of the cap.

Note:

Must be worn on all outside duty assignments or as otherwise prescribed by Departmental orders and/or teletypes.

B. REGULATION DUTY CAP (Optional)

NYCDOC regulation black colored baseball type cap with the unit initials emblazoned on the front center with $1^3/_4$ " blue with yellow bordered block lettering.

Note:

Supervisory Officers shall affix a small metal rank insignia to

the center of this cap.

C. REGULATION DUTY DRILL CAP (Drill Instructors Only)

NYCDOC regulation dark green campaign style/drill instructors hat with a black leather strap and buckle worn to front not to rear. The silver metal cap device bearing the City seal and member's shield number, shall be affixed to the center of the cap. Shall be worn as a duty cap by certified drill instructors only.

D. REGULATION DUTY SHIRT

- 1. NYCDOC regulation 3D stretch poplin shirt with micro comfort finish constructed of 4 ½ oz. sq. yd. 62% dacron polyester/38% combed cotton with 9-11% filling stretch in silver-tan. Shall have 2 military creases in front and 3 military creases in back with a permanent silicone crease. Two breast pockets finishing 53/6" wide and 53/4" long to have mitered corners. Both pockets shall have a 1½" box pleat stitched top and bottom. Left pocket to have a sewn through pencil opening 13/6" wide 3/3" wide velcro strip, 1" long shall be placed on each pocket to accept a matching flap over them. Two eyelet holes sewn above left breast, 13/4" apart (with 1" inside reinforcement sling) to accept regulation shield.
- 2 Long sleeve and short sleeve uniform shirt specifications are identical with the exception of the length of the sleeve.
- 3 Left sleeve of long sleeve shirt accepts gold with black border service stripes

FEFECTIVE DATE
9/23/96

CLASSIFICATION
2270

O STRIBUTION

A & E

UNIFORM AND EQUIPMENT SPECIFICATIONS AND REGULATIONS

PAGE 52 OF

67 PAGES



X. UNIFORM AND EQUIPMENT SPECIFICATIONS SPECIALIZED COMMAND UNIFORMS (Continued)

REGULATION DUTY UNIFORM H.I.I.P. S.T.E.P. (Continued)

E. REGULATION DUTY TROUSERS

SUBJECT

NYCDOC regulation 100% textured dacron polyester, 12½-13 oz. per yard, elastic weave trousers in green heather. Shall be made on a uniform pattern having a plain front with straight side pockets, a watch pocket and 2 back pockets. The side pockets shall have a minimum opening of 6½" and shall be approximately 5" from the bottom opening. They will be stitched, turned and restitched. The inside front pocket facing shall be a separate piece of self material finishing no less than 1¼" wide. The back pockets shall have a minimum opening of 5½" wide and 6" deep. Each back pocket shall have a button through pocket flap to close. The watch pocket, located approximately 1½" to the front of the right seam at the waistband, shall have an approximate opening of 2¾" and will be 3" deep. The side and watch pockets shall have straight bartacks and the back pockets are to be bartacked. The waistband shall be 2" wide and shall be closed with a crush-proof hook & eye, the eye being bartacked. The waistband curtain, will be made of black, 75% polyester/ 25% cotton. No roll waistband stiffener ¾" in width, shall be sewn into the waistband from side seam to side seam.

F. REGULATION DUTY JACKET

- 1. NYCDOC regulation black jacket, constructed of 200 Denier nylon (warp) and 3 ply 70 Denier Taslanized nylon (filling), plain weave, treated with durable fluorocarbon water and stain release agents (optional Gore-Tex Z Liner, or equal). The jacket shall be waist length, single breasted, with overlapping storm front with zipper and snap. The outer shell shall be waterproof; equipped with detachable epaulets, 2 lower flaps and pleated pockets with side openings for hands, bi-swing back, 2 piece set-in sleeves with underarm sleeve gussets, sleeve zippers and leather trim on the cuffs; zippered side vents with snap tab closures, collar with collar stand and inside zippered patch pocket; ScotchLite retro-reflective package; zip-out insulated liner. Two eyelet holes sewn above left breast, 174" apart (with 1" inside reinforcement sling) to accept regulation shield. Collar eyelets 1/4" stitched, and centered 1" from front edge and 1" from bottom edge to accept the DC insignia. Three snaps or buttons on the collar to accept optional detachable hood (see Section VII, Sub-Section H).
- 2. Left sleeve accepts gold with black border service stripes for Correction Officers only (see Section XII for placement).

Ħ	ĕ	ŧ	ţ
"	×	-	

9/23/96
CLASSIFICATION
2270
DISTRIBUTION

A & E

UNIFORM AND EQUIPMENT

SPECIFICATIONS AND REGULATIONS

PAGE 53 OF

67 PAGES



X. UNIFORM AND EQUIPMENT SPECIFICATIONS SPECIALIZED COMMAND UNIFORMS (Continued)

SUBJECT

REGULATION DUTY UNIFORM H.I.I.P. S.T.E.P. (Continued)

G. REGULATION CLASS "A" JACKET

- 1. NYCDOC regulation 100% dacron polyester "lke" jacket in forest green heather lined with 100% nylon taffeta 13-13¹/₂ oz. elastique weave. Shall be mid-length with zipper front to the semi-peak lapels. Coat construction shall be used throughout the body and sleeves being fully lined. There shall be 2 outside pleated patch pockets, rounded at the lower corners, approximately 5"- 5⁵/₈" wide x 6"- 6¹/₄" deep, depending on size. The flaps shall be scalloped and measure 5 ³/₄" wide and 3" long at the center and at each side. They shall have velcro closures on each side to hold down flap. There shall be 1 inside cut-in inside pocket on the right. The epaulets shall be made of self goods, sewn into the sleeve head seam, cross stitched, and tacked to the jacket at the neck. There shall be 24 ligne buttons on the pocket flaps, epaulets and take-up tab. The pocket flaps and the epaulet buttons shall be gold metal with the City seal emblazoned on it.
- Left sleeve accepts gold with black border service stripes for Correction Officers only (see Section XII for placement).

H. COMMANDO V-NECK SWEATER

- Shall be the same as for Correction Officer except black in color.
- Left sleeve accepts gold with black border service stripes for Correction Officers only (see Section XII for placement).
- The Commando sweater may be worn in place of the regulation duty jacket.

TIE

Black breakaway type worn with long-sleeve uniform shirt.

Note: If the regulation class "A" dress jacket is worn, the tie must also be worn.

J. SHOES

Black leather military style exford or high top boots (shined).

K. SOCKS

9/23/96
CLASSIFICATION
2270
DISTRIBUTION

A&E

UNIFORM AND EQUIPMENT SPECIFICATIONS AND REGULATIONS

FAGE 54 OF

67 PAGES



X. UNIFORM AND EQUIPMENT SPECIFICATIONS SPECIALIZED COMMAND UNIFORMS (Continued)

SUBJECT

REGULATION DUTY UNIFORM PHYSICAL TRAINING UNIT ACADEMY

Members, while on duty for specific physical training unit assignments, shall wear the prescribed uniform as indicated below and not deviate, modify or interchange in any manner the prescribed uniform set forth herein.

A. REGULATION DUTY SHIRT

Navy-blue colored golf style shirt, constructed of 50% polyester/50% cotton material or equivalent, short sleeve with no pockets and an open collar. The following shall be embroidered onto the shirt:

1. Right Breast:

Three-eighths inch orange colored block capital letters, centered denoting DEFEN-SIVE TACTICS, INSTRUCTOR.

2. Left Breast:

Three-quarter scale full color Departmental patch.

3. Center Rear:

Three-quarter inch silver colored block capital letters, centered into a semi-circle 2'' to $2^{-1}/_2''$ from the bottom of the collar, denoting PHYSICAL TRAINING UNIT.

4. Center Rear:

Two and three-quarter inch sliver colored block capital letters, centered within the above semi-circle, denoting PT.

B. REGULATION DUTY PANTS

NYCDOC regulation navy-blue colored 65% polyester/35% cotton pants. A silver 1" NY twist stripe (braid) shall be sewn on the outside seam of each trouser leg.

C. UNIFORM CLASS "B" UTILITY JACKET

Shall be the same as for Correction Officer.

D. SOCKS

White cotton.

E. SHOES

9/23/96
CLASSECATION
2270
DISTRIBUTION

A&E

MBJECT

UNIFORM AND EQUIPMENT SPECIFICATIONS AND REGULATIONS

PAGE 55 OF

67 PAGES



X. UNIFORM AND EQUIPMENT SPECIFICATIONS SPECIALIZED COMMAND UNIFORMS (Continued)

REGULATION UNIFORM RECRUITS

A. REGULATION RECRUIT CAP

NYPD regulation/NYCDOC approved navy-blue overseas cap.

B. REGULATION RECRUIT SHIRT

NYCDOC regulation long sleeve light blue shirt, constructed of 3D stretch popfin with micro comfort finish $4^{1}/_{2}$ oz. sq. yard 62% dacron polyester/38% combed cotton with 9-11% filling stretch. Two military creases in front and 3 in back of each shirt with a permanent crease of slicone produced by the Lintrak System. Two breast pockets finishing $5^{-3}/_{8}$ " wide and $5^{-3}/_{4}$ " long to have mitered comers. Both pockets shall have a $1^{11}/_{2}$ " box pleat stitched top and bottom. Left pocket to have a sewn through pencil opening $1^{-3}/_{8}$ " wide. Velcro $3^{1}/_{8}$ " wide and 1" long to be placed on each pocket to secure to matching flaps. Shoulder straps to be sewn into sleevehead and measures approximately $1^{11}/_{8}$ " tapering to $1^{11}/_{2}$ " with ends pointed. Straps to set approximately 1" from the collar seam. They shall be stitched to shoulders with a row of cross-stitching 2" from sleeve head and diagonally sewn from each end of the seam to the sleeve.

C. UNIFORM DUTY TROUSERS

Shall be the same as for Correction Officer.

D. CRUISER DUTY JACKET

Shall be the same as for Correction Officer.

E. SHOES

Shall be the same as for Correction Officer.

F. SOCKS

Shall be the same as for Correction Officer.

G. TIE

Shall be the same as for Correction Officer.

H. ID CARD HOLDER

Clear plastic ID Card Holder with small slit on top to accept outton of uniform shirt for

9/23/96
CLASSFICATION
2270
DISTRIBUTION

A&E

UNIFORM AND EQUIPMENT SPECIFICATIONS AND REGULATIONS

PAGE 56 OF 67 PAGES

XI. UNIFORM AND EQUIPMENT SPECIFICATIONS DEPARTMENTAL AND COMMAND INSIGNIAS


SEBJECT

DEPARTMENTAL INSIGNIA



A. All Correction Officers, when wearing a regulation Cruiser duty jacket, regulation class "A" summer blouse, regulation class "A" winter reefer coat or regulation class "B" utility jacket, shall wear the silver colored, metal Departmental insignia with 1/2" lettering, on both collars.

COMMAND INSIGNIA



- B. All Correction Officers, when in uniform, are directed to wear silver colored, metal command insignias with \(^1/2\)" lettering for commands with insignias with 3 or less letters and \(^3/8\)" lettering for commands with insignias containing 4 letters or symbols (where applicable), on uniform shirt collars at all times.
 - 1. The following letter command insignias are authorized:

INSIGNIA	FACILITY/DIVISION/UNIT
AMKC	ANNA M. KROSS CENTER
ARDC	ADOLESCENT RECEPTION DETENTION CENTER
BCF	BROOKLYN CORRECTIONAL FACILITY
BHPW	BELLEVUE HOSPITAL PRISON WARD
BKGT	BROOKLYN COURT DIVISION
BK	BROOKLYN HOUSE OF DETENTION FOR MEN
BXCT	BRONX COURT DIVISION
8 X	BRONX HOUSE OF DETENTION FOR MEN
CA	CORRECTION ACADEMY

CORRECTION ACADEMY

9/23/96
LASSIFICATION

2270

A&E

SIBBLET

UNIFORM AND EQUIPMENT SPECIFICATIONS AND REGULATIONS

PAGE 57 OF

67 PAGES



XI. UNIFORM AND EQUIPMENT SPECIFICATIONS DEPARTMENTAL AND COMMAND INSIGNIAS (Continued)

	LAND COMMAND INSIGNIAS (Continued)
INSIGNIA	FACILITY/DIVISION/UNIT
CID	CORRECTION INDUSTRIES DIVISION
CIFM	CORRECTIONAL INSTITUTION FOR MEN
CJB	CRIMINAL JUSTICE BUREAU
DIV1	DIVISION I
DIV2	DIVISION II
EHPW	ELMHURST HOSPITAL PRISON WARD
ERU	EMERGENCY RESPONSE UNIT (when wearing class "A" working)
FSU	FIRE AND SAFETY UNIT (when wearing class "A" undown)
GMDC	GEORGE MOTCHAN DETENTION CENTER
SRAC	GEORGE R. VIERNO CENTER
1112	HIGH IMPACT INCARCERATION PROGRAM
ATC	JAMES A. THOMAS CENTER
(9	CANINE UNIT (when wearing class "A" uniform)
CH	KINGS COUNTY HOSPITAL PRISON WARD
IDG	MANHATTAN DETENTION COMPLEX
	CID CIFM CJB

9/23/96 CASSFICATION # 2270

DISTRIBUTION

A&E

416

UNIFORM AND EQUIPMENT SPECIFICATIONS AND REGULATIONS

PAGE 58 OF

67 PAGES



XI. UNIFORM AND EQUIPMENT SPECIFICATIONS DEPARTMENTAL AND COMMAND INSIGNIAS (Continued)

SHEET

		(Continued)
COMMAND INSIGNIA (Continued)	INSIGNIA	FACILITY/DIVISION/UNIT
(Contribut)	MNCT	MANHATTAN COURT DIVISION
	MIC	NORTH INFIRMARY COMMAND
	OBCC	OTIS BANTUM CORRECTIONAL CENTER
	OD	OPERATIONS DIVISION
	QNCT	QUEENS COURT DIVISION
	QM	QUEENS HOUSE OF DETENTION FOR MEN
	RISU	RIKERS ISLAND SECURITY UNIT
	RMSC	ROSE M. SINGER CENTER
	SOD	SPECIAL OPERATIONS DIVISION
	33D	SUPPORT SERVICES DIVISION
	TO	TRANSPORTATION DIVISION
	VCBC	VERNON C. BAIN CENTER
i,	W F	WEST FACILITY

9/23/96 (LASSIFICATION # 2270	UNIFORM AND EQUIPMENT SPECIFICATIONS AND REGULATIONS	
CISTRIBUTION A&E	PACE 59 OF 67 PACES	

XI. UNIFORM AND EQUIPMENT SPECIFICATIONS DEPARTMENTAL AND COMMAND INSIGNIAS (Centinued)

COMMAND INSIGNIA (Continued)

2. The following symbol command insignias are authorized:



a. COMMUNICATIONS/RADIO REPAIR UNIT



b. FIREARMS & TACTICS UNIT



c. HARBOR UNIT



 The following insignia can be worn as a replacement for the command insignia on the left collar of the uniform shirt. This shall denote the members course completion.

MENTAL HEALTH TRAINING CERTIFICATION

9/23/96

CLASSIFICATION
2270

DISTRIBUTION

UNIFORM AND EQUIPMENT SPECIFICATIONS AND REGULATIONS

PAGE 60 OF

67 PAGES



XII. UNIFORM AND EQUIPMENT SPECIFICATIONS PLACEMENT - PATCHES AND INSIGNIAS Correction Officer Departmental and Command Insignias

MBECT

SUMMER BLOUSE

A&E

Affixed t 1/4" up and in from collar point and parallel to the ground.

WINTER REEFER COAL

Alli from and bott

Affixed 1 1/4" up and in from collar point, centered and parallel to the collar bottom.

UNIFORM SHIRT


Affixed to collar eyelots, centered on the collar points 1" from the forward edge and parallel to the neckline.

DUTY CHUISER JACKET

Affixed to cell up and in from centered and cell at hollow

Affixed to collar eyelets 1" up and in from collar point, sentered and parallel to the collar bottom.

PROPER PLACEMENT OF DEPARTMENTAL AND COMMAND INSIGNIAS



9/23/96 + LASSIFICATION # 2270	UNIFORM AND EQUIPMENT SPECIFICATIONS AND REGULATIONS	
OISTRIBUTION A&E	PAGE 61 OF 67 PAGES	

XII. <u>UNIFORM AND EQUIPMENT SPECIFICATIONS</u> <u>PLACEMENT - PATCHES AND INSIGNIAS</u>

Supervisory Officer Rank Insignia Uniform Shirt

CAPTAIN

Affixed 1" up and in from collar point and parallel to testem of collar.

ASSISTANT DEPUTY WARDEN

Affixed 1" up and in from coflar, stem of Oak Leaf parallel to coffar inte.

DEP. WARDEN/DEP. WARDEN IN COMMAND

Affixed 1° up and in from collar point beak of eagle pointing perpendicular to collar and forward to front of from

WARDEN

Alfixed if up and in from collar penel incufar for the penel incufar to tollar fine.

ASSISTANT CHIEF

Affixed I' up and in from outlar point. Viril this perpendicular to confur time.

BUREAU CHIEF

Afford 1" up used an from contarpoint, "v" of it as perpendicular to collar fine.


CHIEF OF DEPARTMENT


Affend the placed in them coldan people deviate people deviate to collar ing.

	9/ 23 /96	SURJECT	SAUDEDY
	LLASSIFICATION # 2270	UNIFORM AND EQUIPMENT SPECIFICATIONS AND REGULATIONS	
	A & E	PMGE 62 CF	

XII. UNIFORM AND EQUIPMENT SPECIFICATIONS PLACEMENT - PATCHES AND INSIGNIAS

Supervisory Officer Rank Insignia
Summer Blouse, Winter Reefer Coat, Trench Coat, and Cruiser Duty Jacket
Epaulets







9/23/96 CLASSIFICATION # 2270	UNIFORM AND EQUIPMENT SPECIFICATIONS AND REGULATIONS	
A & E	FAGE 63 OF 67 PAGES	

XII. UNIFORM AND EQUIPMENT SPECIFICATIONS PLACEMENT - PATCHES AND INSIGNIAS

Correction Officer Service Stripes



Supervisory Officer Cuff Braids



2270

DISTRIBUTION

A & E

PHECTIVE DATE

SUBJECT

UNIFORM AND EQUIPMENT


SPECIFICATIONS AND REGULATIONS


PAGE 64 OF

67 PAGES


XII. UNIFORM AND EQUIPMENT SPECIFICATIONS PLACEMENT - PATCHES AND INSIGNIAS

PATCH PLACEMENT





Right Sleeve



2270


DISTRIBUTION

A&E

UNIFORM AND EQUIPMENT

SPECIFICATIONS AND REGULATIONS

PAGE 65 OF 67 PAGES



XIII. UNIFORM AND EQUIPMENT SPECIFICATIONS DEPARTMENTAL AND COMMAND PATCHES

UBECT













416 LIFECTIVE DATE 9/23/96 LASSIFICATION # 2270 DISTRIBUTION

A&E

UNIFORM AND EQUIPMENT SPECIFICATIONS AND REGULATIONS

PAGE 66 OF

67 FAGES



XIII. UNIFORM AND EQUIPMENT SPECIFICATIONS DEPARTMENTAL AND COMMAND PATCHES (Continued)

BRET













# 2270	S BIECT UNIFORM AND EQUIPMENT SPECIFICATIONS AND REGULATIONS	
DISTRIBUTION A & E	PAGE 67 OF 67 PAGES	

XIV. ATTACHMENT


A. "UNIFORM INSPECTION RECORD CARD", Form # 120 - 1/96.


XV. REGULATION CHANGES

The following orders are hereby superseded:

- A. Directive #2256R, dated June 1, 1988, entitled "Uniform and Equipment Specifications and Regulations".
- B. All subsequent Amendments, Teletype Orders and Memorandums to Directive #2256R.

UNIFORM INSPECTION RECORD CARD LINE LAST P MET METING RECRUIT OFFICER INITIAL PURCHASE AND INSPECTION SECTION "A" Dears. PANTE GLASS'S' UT'LITY PANTS LACK PATEN LEATHER SHIGES V NECK PURCHASE TELINO DATE OF PASSIFAILED Character Constants APPROPRIATE PANED CI PASSED CI PASSED CI FW100 [] PAGSED () ALLES D SHEET WASTERLY HERECTHAN OFFICIAL PEMARKE # OFTIONAL





ANNUAL UNIFORM INSPECTION SECTION C

SHAMSH # # MANDATCHT FOR DUTE DE COMMANDE AND DETT ASSIGNMENT

	7	33010	BPECTION P	NOED IN IN	THED & PL	DE BEAN	TAHS 35	PURCHA	40 14130	FORM RE	ИМ) Этрэтаскай	R & JAHOTTAO
u im		-	ļ	ļ		 						FIGHT MBPECTING MAPECTING
นี้ รัฐรัฐ	O OJIEVA	0 1132A	0 1514	O means	G dalassi	G 01144	G 1122A9 G 033IA9	0 0122A9 013A9	O JESSA	0 33744 0 33747 0 33747	G 439344 G 13747 G 13747	ALSEO/ALED WAY DECISION
	<u> </u>											אינו מפות ובאינו אינו מפונים ובאינו
***												LAITAN TO ATAL
HAM GEAF	13/34F 5/17 0	UALVIET A	10184-101	SEAGIO SiteM	Light	11104		21.884	·····			ig stag transales
·····	A IMUNO	COMMANTO	RECTION B	50140	15.63	TARRET CEASE	TINHE		TAN HOLTAJOU JA	WEINIE .	FIREOTE FIREDS.V.	

REVISION NOTICE

E a se		THE CITY OF NEW YORK DEPARTMENT OF CORRECTION DIRECTIVE					
[] NEW [] INTERIM		[X]	REVISED ON DATE	SUBJECT	RM AND EQUIP		
3/28/97		1 1		SPECIFICATIONS AND REGULATION			
# 2270	SUPERSEDES		DATED		PAGE 1 OF 1 PAGES		
Shi Shi	M. Jan	160	IATURE		ZED BY THE COMMISS	IONER SIGNATURE	

Directive #2270, dated September 23, 1996, entitled "UNIFORM AND EQUIPMENT SPECIFICATIONS AND REGULATIONS" is hereby amended as follows:

- 1. New pages 2 and 9 are attached. Remove old pages 2 and 9 and replace with the new pages.
- All other provisions of Directive 2270 shall remain in full effect.

SPECIAL INSTRUCTIONS

Commanding Officers of facilities and divisions shall ensure that each uniformed member assigned to the facility/division receives a copy of this Revision Notice.



EFFECTIVE DATE 3/28/97 CLASSIFICATION # 2270 DISTRIBUTION A&E

SHRECT

UNIFORM AND EQUIPMENT SPECIFICATIONS AND REGULATIONS

PAGE 2 UF

67 PAGES



REGULATIONS (Continued) III.

UNIFORMS **GENERAL RULES** (Continued)

- D. Uniformed members of the Department authorized to wear civilian clothes, shall wear the prescribed uniform when so directed.
- E. Uniformed members of the Department shall wear at all times while on duty, the regulation duty uniform prescribed by the Commissioner and the Chief of Department, with exception of those individuals specifically authorized by the Commissioner or Chief of Department to wear appropriate civilian attire.
- F. Members of the uniformed force, except when on suspension or on authorized leave, shall wear the regulation class "A" dress uniform or appropriate civilian business attire when reporting as respondents at official Departmental disciplinary hearings, either at Central Office or the Office of Administrative Trials and Hearings
- G. Uniformed members reporting to the aforementioned hearings as a witness, shall do so in regulation class "A" dress uniform or appropriate civilian business attire when on-duty and in appropriate civilian attire when off-duty.
- H. Members of the uniformed force shall wear the regulation class "A" dress uniform when ordered to do so by teletype order, verbal and/or written direction by the Commissioner, Chief of Department, Commanding Officers or designees.
- I. Uniforms and equipment shall be purchased and maintained at the expense of the
- J. Only uniforms bearing the authorized certification label, as stipulated herein, are permitted and approved for use.
- K. Seasonal uniform changes will be implemented upon direction by the Chief of Department, unless otherwise stipulated:
 - 1. Uniformed members of all ranks who are assigned to outside posts shall wear the long sleeve regulation duty uniform shirt and tie at all times between October
 - 2. Uniformed members of all ranks who are assigned to outside posts may wear the short sleeve regulation duty uniform shirt at all times between May 1 and
 - 3. Uniformed members of all ranks who are assigned to inside posts may wear short sleeve shirts and no ties all year round. However, if worn with an outer garment, a lie must be worn.

1 STRIBUTION

A&E

SUBJECT

UNIFORM AND EQUIPMENT SPECIFICATIONS AND REGULATIONS

PAGE 9 UF

67 PAGES



III. REGULATIONS (Continued)

RELIGIOUS HEADPIECES MM. Whenever a uniformed member of the Department is in uniform and desires to wear a Yarmulke, Kufl or *Khimar*, the member may do so only when inside a Department facility. However, when outside a facility; the headpiece shall be worn underneath the prescribed uniform cap. The only authorized colors for these religious headpieces are blue or black.

BREAST BARS AND METAL EMBLEMS NN. Members shall wear authorized breast bars starting 1/4" above the center of the shield and each bar shall be 1/4" apart. When more than 1 breast bar is worn, the highest awarded bar shall be on top, furthest away from the shield.

Note: Breast bars from other agencies or those representing ethnic or religious affiliations are unauthorized .



 Members may elect to wear a metal emblem of the flag of the United States of America not to exceed 1" square, worn above the center of the shield or authorized breast bars (see illustration).




Members of the Emergency Response Unit who complete and are certified in the NYPD Repel Training Course may wear the Helicopter Repel Bar (silver colored metal helicopter with wings) centered above the shield (see illustration).



- 3. Members of the Emergency Response Unit (and Support Team) who have completed the Emergency Medical Technician Course and are currently certified by New York State, may wear the Emergency Medical Technician (EMT) certification symbol insignia. The insignia shall be worn on the upper left side of the shield backing.
- 4. Members may elect to wear an orange bar, bordered in gold, with gold letters denoting their number of years of service. This bar is to be worn on short sleeve shirts in the following manner:

Centered above the right breast pocket, 1/4" over the top edge of the pocket seam.



V - 5 years X - 10 years XV - 15 years XX - 20 years XXV - 25 years